

TOOLS for CI2 V1.9.6 for Mac Release Notes

TOOLS for CI2 V1.9.6 for Mac consists of the following programs.

- Yamaha Steinberg USB Driver V1.9.6
- Steinberg CI2 Extension V1.2.1

Contents

System Requirements for Software

Main Revisions and Enhancements

Legacy Updates

System Requirements for Software

NOTE

- Note that the system requirements may be slightly different from those described below depending on the particular operating system.

OS	OS X 10.9.5/OS X 10.10.x/OS X 10.11.x
CPU	Intel dual core CPU
Memory	2GB or more
Interface	Equipped with a USB connector
Hard Disk	Free disk space of 50MB or more; high-speed hard disk
Other	Cubase version 7.0.7 or later when using the link function between the device and Cubase.

Main Revisions and Enhancements

V1.8.3 to V1.9.6

- Changed the system requirements to the following.
 - OS X 10.9.5, OS X 10.10.x, OS X 10.11.x

The other main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.9.4 to V1.9.6

- Now supports OS X 10.11.

V1.9.3 to V1.9.4

- Now supports Steinberg UR22mkII.
- Solved some minor problems.

V1.9.2 to V1.9.3

- Now supports Yamaha THR100H/THR100HD.

V1.9.0 to V1.9.2

- Now supports Yamaha AUDIOGRAM/ MW/ MG/ IM Series (USB-equipped model).
- Solved some minor problems.

V1.8.6 to V1.9.0

- Now supports Yamaha A-S801.
- Improved audio input and output performance.

V1.8.3 to V1.8.6

- Now supports Yamaha MOXF series firmware V1.10.

Legacy Updates

V1.7.2 to V1.8.3

- Changed the system requirements to the following.
 - OS X 10.7.5, OS10.8.x, or OS10.9.x

The other main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.8.1 to V1.8.3

- Now supports OS X 10.9.

V1.8.0 to V1.8.1

- Now supports Yamaha MOXF6/8.
- Solved some minor problems.

V1.7.3 to V1.8.0

- Now supports Yamaha CD-S3000.

V1.7.2 to V1.7.3

- Added the 176.4 kHz and 192 kHz settings to the sample rate selection for Steinberg UR824.

V1.6.3 to V1.7.2

The main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.6.3 to V1.7.2

Steinberg CI2 Extension

V1.2.0 to V1.2.1

- Now supports Cubase 7.

V1.6.0 to V1.6.3

- TOOLS for CI2 has been confirmed to work properly on Mac OS X 10.8.
- The installer now supports Gatekeeper.
- An uninstaller function is included. For details about using it, refer to the included Installation Guide.

The other main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.6.0 to V1.6.3

- Solved some minor problems.

V1.5.2 to V1.6.0

The main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.5.2 to V1.6.0

- Now supports Yamaha 01V96i.

To remove the Yamaha Steinberg USB Driver, delete the following file from the boot disk as well as described files in the “Uninstalling the Software” section of the Steinberg TOOLS for CI2 Installation Guide.

/Library/Audio/MIDI Devices/Yamaha/Images/
USB_5500.tiff

V1.3.0 to V1.5.2

- Now supports Mac OS X 10.7.

The other main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.5.1 to V1.5.2

- Improved audio input and output performance.
- Solved some minor problems.

V1.5.0 to V1.5.1

- Now supports Steinberg UR824.
- Solved some minor problems.

NOTE

Yamaha Steinberg USB Driver V1.5.1 is the version which is included in the TOOLS for UR824 CD-ROM (labeled "YD307A0") in the Steinberg UR824 package.

V1.3.0 to V1.5.0

- Now supports Steinberg UR28M
- Solved some minor problems.

NOTE

Yamaha Steinberg USB Driver V1.5.0 is the version which is included in the TOOLS for UR28M CD-ROM (labeled "YD304A0") in the Steinberg UR28M package.

V1.2.0 to V1.3.0

- Yamaha Steinberg USB Driver now supports Yamaha MOX6/8.
- Solved the problem in which noise would occasionally occur during playback in a specific condition when using a device compatible with the Yamaha Steinberg USB Driver on Mac computer with an Intel processor and Mac OS X 10.6.5 or later.

V1.1.1 to V1.2.0

- Yamaha Steinberg USB Driver now supports 64-bit kernel of Mac OS X 10.6.
- Now supports Cubase 6 (32-bit/64-bit).

- Changed the system requirements to the following.

- Mac OS X 10.5.8 or 10.6.x
- Mac computer with an Intel processor

For details, refer to the “System Requirements for Software.”

- Solved the problem in which noise would occasionally occur during playback when using a device compatible with the Yamaha Steinberg USB Driver on Mac computer with an Intel processor and Mac OS X 10.6.5 or later.

V1.1.0 to V1.1.1

- Improved the stability of Yamaha Steinberg USB Driver on a Mac with an Intel Core i series processor.
- Improved the following problems.
 - When using a device compatible with Yamaha Steinberg USB Driver on a Mac with an Intel Core i series processor, recorded audio data might be briefly interrupted.
 - When using a device compatible with Yamaha Steinberg USB Driver on a Mac with an Intel Core i series processor, noise may occasionally occur when playback starts.

V1.0.1 to V1.1.0

- Now supports Steinberg CI2+.
- Now supports Nuendo 5.

The other main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.0.1 to V1.1.0

- Solved some minor problems.

Steinberg CI2 Extension

V1.0.0 to V1.1.0

- Solved some minor problems.

(NOTE)

TOOLS for CI2 V1.1.0 is the version which is included in the TOOLS for CI2 CD-ROM (labeled “YC410A0”) in the product package.

V1.0.0 to V1.0.1

- TOOLS for CI2 now supports Mac OS X 10.6.

For information about the system requirements and instructions for installation to Mac OS X 10.6, refer to the included Installation Guide.

Company and product names that appear in this document are the trademarks or registered trademarks of their respective companies.

(C) 2009-2015 Yamaha Corporation All Rights Reserved.

TOOLS for CI2 V1.9.6 for Mac リリースノート

TOOLS for CI2 V1.9.6 for Mac は以下のプログラムで構成されています。

- Yamaha Steinberg USB Driver V1.9.6
- Steinberg CI2 Extension V1.2.1

目次

ソフトウェアの動作環境

主なアップデートの内容

過去のアップデートの内容

ソフトウェアの動作環境

NOTE

- お使いの OS によっては、下記の仕様以上の条件を満たす必要があります。

OS	OS X 10.9.5/OS X 10.10.x/OS X 10.11.x
CPU	Intelデュアルコアプロセッサ
メモリー	2GB 以上
インターフェース	USB 端子を搭載していること
ハードディスク	50MB 以上の空き容量、高速なハードディスク
その他	Cubase との連携機能をお使いの場合、Cubase のバージョン 7.0.7 以降

主なアップデートの内容

V1.8.3 → V1.9.6

- 動作環境を変更しました。以下の環境が必要です。
 - ・ OS X 10.9.5, OS X 10.10.x, OS X 10.11.x

その他の主なアップデート内容については、以下にプログラム別で説明します。

Yamaha Steinberg USB Driver

V1.9.4 → V1.9.6

- OS X 10.11 に対応しました。

V1.9.3 → V1.9.4

- Steinberg UR22mkII に対応しました。

- 軽微な不具合を修正しました。

V1.9.2 → V1.9.3

- Yamaha THR100H/THR100HD に対応しました。

V1.9.0 → V1.9.2

- Yamaha AUDIOGRAM/ MW/ MG/ IM シリーズの USB 搭載モデルに対応しました。
- 軽微な不具合を修正しました。

V1.8.6 → V1.9.0

- Yamaha A-S801 に対応しました。
- オーディオ入出力のパフォーマンスを向上しました。

V1.8.3 → V1.8.6

- Yamaha MOXF シリーズ ファームウェア V1.10 に対応しました。

過去のアップデートの内容

V1.7.2 → V1.8.3

- 動作環境を変更しました。以下の環境が必要です。
 - ・ OS X 10.7.5, OS X 10.8.x, OS X 10.9.x

その他の主なアップデート内容については、以下にプログラム別で説明します。

Yamaha Steinberg USB Driver

V1.8.1 → V1.8.3

- OS X10.9 に対応しました。

V1.8.0 → V1.8.1

- Yamaha MOXF6/8 に対応しました。
- 軽微な不具合を修正しました。

V1.7.3 → V1.8.0

- Yamaha CD-S3000 に対応しました。

V1.7.2 → V1.7.3

- Steinberg UR824 でサンプリング周波数を 176.4kHz/192kHz に設定できるようになりました。

V1.6.3 → V1.7.2

以下にプログラム別で説明します。

Yamaha Steinberg USB Driver

V1.6.3 → V1.7.2

Steinberg CI2 Extension

V1.2.0 → V1.2.1

- Cubase 7 に対応しました。

V1.6.0 → V1.6.3

- TOOLS for CI2 が Mac OS X 10.8 で動作することを確認しました。
- インストーラーが Gatekeeper に対応しました。
- アンインストーラーを同梱しました。使用方法是同梱のインストールガイドをご参照ください。

その他の主なアップデート内容については、以下にプログラム別で説明します。

Yamaha Steinberg USB Driver

V1.6.0 → V1.6.3

- 軽微な不具合を修正しました。

V1.5.2 → V1.6.0

以下にプログラム別で説明します。

Yamaha Steinberg USB Driver

V1.5.2 → V1.6.0

- Yamaha 01V96i に対応しました。

Yamaha Steinberg USB Driver を削除する場合は、インストールガイドの「ソフトウェアのアンインストール」に記載しているファイルのほかに、次のファイルも起動ディスクから削除してください。

/Library/Audio/MIDI Devices/Yamaha/Images/

USB_5500.tiff

V1.3.0 → V1.5.2

- Mac OS X 10.7 に対応しました。

その他の主なアップデート内容については、以下にプログラム別で説明します。

Yamaha Steinberg USB Driver

V1.5.1 → V1.5.2

- オーディオ入出力のパフォーマンスを向上しました。
- 軽微な不具合を修正しました。

V1.5.0 → V1.5.1

- Steinberg UR824 に対応しました。
- 軽微な不具合を修正しました。

(NOTE)

Yamaha Steinberg USB Driver V1.5.1 は、Steinberg UR824 に同梱の TOOLS for UR824 CD-ROM(盤面に「YD307A0」と記載されているもの)に収録されているバージョンです。

V1.3.0 → V1.5.0

- Steinberg UR28M に対応しました。
- 軽微な不具合を修正しました。

(NOTE)

Yamaha Steinberg USB Driver V1.5.0 は、Steinberg UR28M に同梱の TOOLS for UR28M CD-ROM(盤面に「YD304A0」と記載されているもの)に収録されているバージョンです。

V1.2.0 → V1.3.0

- Yamaha Steinberg USB Driver が Yamaha MOX6/8 に対応しました。
- Intel Core i シリーズプロセッサを搭載し、Mac OS X 10.6.5 以降を使用している Mac で Yamaha Steinberg USB Driver 対応機器を使うと、特定の条件で再生時にノイズが発生することがある問題を修正しました。

V1.1.1 → V1.2.0

- Yamaha Steinberg USB Driver が Mac OS X 10.6 の 64 ビットカーネルに対応しました。
 - Cubase 6(32 ビット版/64 ビット版)に対応しました。
 - 動作環境を変更しました。以下の環境が必要です。
 - ・ Mac OS X 10.5.8 または 10.6.x
 - ・ Intel プロセッサを搭載した Mac
- 詳細は、「ソフトウェアの動作環境」ご参照ください。

- Intel Core i シリーズプロセッサを搭載し、Mac OS X 10.6.5 以降を使用している Mac で Yamaha Steinberg USB Driver 対応機器を使うと、再生時にノイズが発生することがある問題を修正しました。

V1.1.0 → V1.1.1

- Intel Core i シリーズプロセッサを搭載した Mac での Yamaha Steinberg USB Driver のパフォーマンスを改善しました。
- 以下の問題に対処しました。
 - ・ Intel Core i シリーズプロセッサを搭載した Mac で Yamaha Steinberg USB Driver 対応機器を使用したときに、録音したオーディオデータの一部分が一瞬無音になる場合がある
 - ・ Intel Core i シリーズプロセッサを搭載した Mac で Yamaha Steinberg USB Driver 対応機器を使用したときに、まれに再生開始時にノイズが発生する場合がある

V1.0.1 → V1.1.0

- Steinberg CI2+に対応しました。
- Nuendo 5 に対応しました。

その他の主なアップデート内容については、以下にプログラム別で説明します。

Yamaha Steinberg USB Driver

V1.0.1 → V1.1.0

- 軽微な不具合を修正しました。

Steinberg CI2 Extension

V1.0.0 → V1.1.0

- 軽微な不具合を修正しました。

(NOTE)

TOOLS for CI2 V1.1.0 は、製品に同梱の TOOLS for CI2 CD-ROM(盤面に「YC410A0」と記載されているもの)に収録されているバージョンです。

V1.0.0 → V1.0.1

- TOOLS for CI2 が Mac OS X 10.6 に対応しました。
Mac OS X 10.6 でのソフトウェアの動作環境、およびインストール手順は、同梱のインストールガイドをご参照ください。

本文に掲載されている会社名および商品名等は、各社の登録商標または商標です。

(C) 2009-2015 Yamaha Corporation All Rights Reserved.