

# HALion Sonic 2

---

## Version history Known issues & solutions

December 2015

Steinberg Media Technologies GmbH



# Table of contents

<b>About .....</b>	<b>2</b>
<b>HALion Sonic 2.0.10 .....</b>	<b>4</b>
New features.....	4
<b>HALion Sonic 2.0.0.....</b>	<b>5</b>
Known issues and solutions.....	5



## Credit notice:

Steinberg, HALion Sonic, ASIO and VST are registered trademarks of Steinberg Media Technologies GmbH. VST Sound is a trademark of Steinberg Media Technologies GmbH. Windows is a registered trademark of Microsoft Corporation in the United States and other countries. Mac, Mac OS and OS X are trademarks of Apple Inc., registered in the U.S. and other countries. All other product and company names are trademarks and registered trademarks of their respective holders. All specifications are subject to change without notice. Made in Germany. Copyright © 2015 Steinberg Media Technologies GmbH. All rights reserved.

## About

---

### **Congratulations and thank you for using HALion Sonic!**

This document lists all update changes, fixes and improvements as well as known issues and solutions for HALion Sonic 2.

Please note that the known issues and solutions section contains issues that might concern specific HALion Sonic versions only. Please make sure to read through this section before contacting Steinberg support.

Enjoy using HALion Sonic!

Your Steinberg team

# HALion Sonic 2.0.10

---

## New features

### Retina support

The fonts in HALion Sonic 2.0.10 now support Apple's Retina displays.



# HALion Sonic 2.0.0

---

## June 2013

Initial release.

To get an overview of the new features that HALion Sonic 2 has to offer, please take a look here:

**[www.steinberg.net/](http://www.steinberg.net/)**

## Known issues and solutions

### **Adding a layer with Key Switches to the B-Box – H-4966**

B-Box not playing correctly when a second layer containing Key Switches is added to a program. There is no workaround for this issue.

### **Deactivating the arpeggiator in Auron – H-4799**

In some of the presets of Auron there may be no sound after turning off the arpeggiator. This will occur when certain parameters like volume or grain position are modulated in the controller lane since deactivating the arpeggiator sets the modulated parameter to zero. Turning off the controller lane modulation before deactivating the arpeggiator can be used as a workaround.