

## TOOLS for CI2 V1.9.9 for Windows Release Notes

---

TOOLS for CI2 V1.9.9 for Windows consists of the following programs.

- Yamaha Steinberg USB Driver V1.9.9
- Steinberg CI2 Extension V1.2.1

### Contents

System Requirements for Software

Main Revisions and Enhancements

Legacy Updates

### System Requirements for Software

#### NOTE

- Note that the system requirements may be slightly different from those described below depending on the particular operating system.

OS	Windows 7 SP1/Windows 8.1/Windows 10
CPU	Intel or AMD dual core CPU 2GHz or faster
Memory	2GB or more
Display Resolution	1280 x 800—full color
Interface	Equipped with a USB (1.1/2.0) connector
Hard Disk	Free disk space of 100MB or more; high-speed hard disk
Other	Cubase version 5.5.3 or later when using the link function between the device and Cubase.

### Main Revisions and Enhancements

#### V1.8.3 to V1.9.9

- Changed the system requirements to the following.
  - Windows 7 SP1, Windows 8.1, or Windows 10

#### Yamaha Steinberg USB Driver

V1.8.3 to V1.9.9

- Now supports Yamaha MONTAGE.
- Solved the following problems.
  - Audio loss may occur depending on the user environment.

- Audio may distort after some period of time.
- Solved some minor problems on the UR22mkII.
- Solved a problem in which the Yamaha Steinberg USB Driver would not work in certain cases on the AUDIOGRAM/ MW/ MG/ IM series.
- Now supports Windows 10.
- Now supports Steinberg UR22mkII.
- Now supports Yamaha THR100H/ THR100HD.
- Now supports Yamaha AG Series.
- Now supports Yamaha A-S801.
- Now supports Yamaha AUDIOGRAM/ MW/ MG/ IM Series (USB-equipped model).

#### NOTE

If the Yamaha USB Audio Driver is already installed on your computer, be sure to uninstall it before installing Yamaha Steinberg USB Driver. There is a possibility that the Yamaha Steinberg USB Driver will not work properly if the Yamaha USB Audio Driver is installed on the same computer.

- Now supports Yamaha MOXF Series firmware V1.10.
- Now supports Yamaha MG Series (XU Models).
- Solved some minor problems.

## Legacy Updates

### V1.7.3 to V1.8.3

- Changed the system requirements to the following.
  - Windows 7 SP1, Windows 8, or Windows 8.1

The main fixes and enhancements for each program are explained below.

### Yamaha Steinberg USB Driver

#### V1.8.1 to V1.8.3

- Now supports Windows 8.1.
- Solved some minor problems.

#### V1.8.0 to V1.8.1

- Now supports Yamaha MOXF6/8.
- Solved some minor problems.

V1.7.3 to V1.8.0

- Now supports Yamaha CD-S3000.
- ASIO Driver supports devices which use 32-bit sample format.
- Solved some minor problems.

### **V1.6.5 to V1.7.3**

The main fixes and enhancements for each program are explained below.

#### **Yamaha Steinberg USB Driver**

V1.6.5 to V1.7.3

- Now supports Cubase 7.
- Fixed a problem in which noise would occur during audio playback with the WDM.

#### **Steinberg CI2 Extension**

V1.1.0 to V1.2.1

- Now supports Cubase 7.

### **V1.6.2 to V1.6.5**

- TOOLS for CI2 has been confirmed to work properly on Windows 8.

The other main fixes and enhancements for each program are explained below.

#### **Yamaha Steinberg USB Driver**

V1.6.4 to V1.6.5

- Solved some minor problems.

V1.6.3 to V1.6.4

- Now supports Yamaha MX49/61.
- Solved some minor problems.

V1.6.2 to V1.6.3

- Solved a problem in which the specified DAW software would not quit when switching the sample rate setting.
- Solved some other minor problems.

### **V1.6.1 to V1.6.2**

The main fixes and enhancements for each program are explained below.

#### **Yamaha Steinberg USB Driver**

V1.6.1 to V1.6.2

- Improved the performance.

#### **V1.6.0 to V1.6.1**

The main fixes and enhancements for each program are explained below.

#### **Yamaha Steinberg USB Driver**

V1.6.0 to V1.6.1

- Solved a problem related to computers equipped with certain AMD brand CPUs, in which noise might occur in the audio input signal when using the device with such a computer.

#### **V1.3.0 to V1.6.0**

The main fixes and enhancements for each program are explained below.

#### **Yamaha Steinberg USB Driver**

V1.5.2 to V1.6.0

- Now supports Yamaha 01V96i.
- Solved the problem in which the audio input/output might stop when switching the sample rate in the Cubase project setup.
- Solved some other minor problems.

V1.5.1 to V1.5.2

- Solved some minor problems.

V1.5.0 to V1.5.1

- Now supports Steinberg UR824.
- Changed the default buffer size of the ASIO driver from 768 samples to 512 samples.
- Solved some minor problems.

#### **NOTE**

Yamaha Steinberg USB Driver V1.5.1 is the version which is included in the TOOLS for UR824 CD-ROM (labeled "YD307A0" or "YD307B0") in the Steinberg UR824 package.

#### V1.3.0 to V1.5.0

- Now supports Steinberg UR28M.
- Improved the user interface on the control panel of the driver. Tabs are displayed depending on the connected devices.
- Added selections of 64 samples and 96 samples to the buffer size setting of the ASIO driver.

#### NOTE

Yamaha Steinberg USB Driver V1.5.0 is the version which is included in the TOOLS for UR28M CD-ROM (labeled "YD304A0" or "YD304B0") in the Steinberg UR28M package.

#### **V1.1.2 to V1.3.0**

- Yamaha Steinberg USB Driver now supports Yamaha MOX6/8.
- Added the function which allows selection of the device using ASIO within the control panel of the Yamaha Steinberg USB Driver.
- TOOLS for CI2 has been confirmed to work properly on Windows 7 SP1.
- Changed the system requirements to the following.
  - Windows XP Professional SP3, Windows XP Home Edition SP3, Windows Vista SP2, and Window 7 SP0/SP1

For details, refer to the "System Requirements for Software."

#### **V1.1.0 to V1.1.2**

- Improved the stability of Yamaha Steinberg USB Driver.
- Improved the following problem.
  - When using a device compatible with Yamaha Steinberg USB Driver on a computer with an Intel® 5 series chipset, recorded audio data might be briefly interrupted.

#### **V1.0.1 to V1.1.0**

- Now supports Steinberg CI2+.
- Now supports Nuendo 5.

The other main fixes and enhancements for each program are explained below.

#### **Yamaha Steinberg USB Driver**

##### V1.0.1 to V1.1.0

- Solved some minor problems.

## **Steinberg CI2 Extension**

V1.0.0 to V1.1.0

- Solved some minor problems.

(NOTE)

TOOLS for CI2 V1.1.0 is the version which is included in the TOOLS for CI2 CD-ROM (labeled "YC410A0") in the product package.

## **V1.0.0 to V1.0.1**

- TOOLS for CI2 has been confirmed to work properly on Windows 7.

For information about the system requirements and instructions for installation to Windows 7, refer to the included Installation Guide.

The other main fixes and enhancements for each program are explained below.

## **Yamaha Steinberg USB Driver**

V1.0.0 to V1.0.1

- Solved a problem in which noise may occur in a certain environment.

---

Company and product names that appear in this document are the trademarks or registered trademarks of their respective companies.

(C) 2009-2016 Yamaha Corporation All Rights Reserved.

## TOOLS for CI2 V1.9.9 for Windows リリースノート

---

TOOLS for CI2 V1.9.9 for Windows は以下のプログラムで構成されています。

- Yamaha Steinberg USB Driver V1.9.9
- Steinberg CI2 Extension V1.2.1

### 目次

ソフトウェアの動作環境

主なアップデートの内容

過去のアップデートの内容

### ソフトウェアの動作環境

#### NOTE

- お使いの OS によっては、下記の仕様以上の条件を満たす必要があります。

OS	Windows 7 SP1/Windows 8.1/Windows 10
CPU	Intel または AMD dual core CPU 2GHz 以上
メモリー	2GB 以上
画面解像度	1280 x 800 以上—フルカラー
インターフェース	USB(1.1/2.0)端子を搭載していること
ハードディスク	100MB 以上の空き容量、高速なハードディスク
その他	Cubase との連携機能をお使いの場合、Cubase のバージョン 5.5.3 以降

### 主なアップデートの内容

#### V1.8.3 → V1.9.9

- 動作環境を変更しました。以下の環境が必要です。
  - ・ Windows 7 SP1, Windows 8.1, Windows 10

#### Yamaha Steinberg USB Driver

##### V1.8.3 → V1.9.9

- Yamaha MONTAGE シリーズに対応しました。
- 以下の問題への対策を行ないました。
  - ・お使いの環境によっては、音が途切れることがある。
  - ・ある一定時間を経過すると音が歪むことがある。
- UR22mkII での軽微な不具合を修正しました。

- AUDIOGRAM/ MW/ MG/ IM シリーズで動作しない場合がある問題を修正しました。
- Windows 10 に対応しました。
- Steinberg UR22mkII に対応しました。
- Yamaha THR100H/ THR100HD に対応しました。
- Yamaha AG シリーズに対応しました。
- Yamaha A-S801 に対応しました。
- Yamaha AUDIOGRAM/ MW/ MG/ IM シリーズの USB 搭載モデルに対応しました。

#### NOTE

Yamaha USB Audio Driver がコンピューターにインストールされている場合は、アンインストールしてから Yamaha Steinberg USB Driver をインストールしてください。同時にインストールされている場合、Yamaha Steinberg USB Driver が使用できない場合があります。

- Yamaha MOXF シリーズ ファームウェア V1.10 に対応しました。
- Yamaha MG シリーズ(XU モデル)に対応しました。
- 軽微な不具合を修正しました。

## 過去のアップデートの内容

### V1.7.3 → V1.8.3

- 動作環境を変更しました。以下の環境が必要です。
  - ・ Windows 7 SP1, Windows 8, Windows 8.1

以下にプログラム別に説明します。

#### Yamaha Steinberg USB Driver

##### V1.8.1 → V1.8.3

- Windows 8.1 に対応しました。
- 軽微な不具合を修正しました。

##### V1.8.0 → V1.8.1

- Yamaha MOXF6/8Iに対応しました。
- 軽微な不具合を修正しました。

##### V1.7.3 → V1.8.0

- Yamaha CD-S3000Iに対応しました。
- ASIOドライバーが、32bitのサンプルフォーマットを使用する機器に対応しました。
- 軽微な不具合を修正しました。



## **V1.6.5 → V1.7.3**

以下にプログラム別に説明します。

### **Yamaha Steinberg USB Driver**

V1.6.5 → V1.7.3

- Cubase 7 に対応しました。
- WDM を利用してオーディオを再生した場合、ノイズが発生することがある問題を修正しました。

### **Steinberg CI2 Extension**

V1.1.0 → V1.2.1

- Cubase 7 に対応しました。

## **V1.6.2 → V1.6.5**

- TOOLS for CI2 が Windows 8 で動作することを確認しました。

その他の主なアップデート内容については、以下にプログラム別で説明します。

### **Yamaha Steinberg USB Driver**

V1.6.4 → V1.6.5

- 軽微な不具合を修正しました。

V1.6.3 → V1.6.4

- Yamaha MX49/61 に対応しました。
- 軽微な不具合を修正しました。

V1.6.2 → V1.6.3

- 特定の DAW ソフトウェアで使用している場合、サンプリング周波数などの設定を変更したときに DAW ソフトウェアが終了できなくなる問題を修正しました。
- その他の軽微な不具合を修正しました。

## **V1.6.1 → V1.6.2**

以下にプログラム別で説明します。

### **Yamaha Steinberg USB Driver**

V1.6.1 → V1.6.2

- パフォーマンスを改善しました。

### **V1.6.0 → V1.6.1**

以下にプログラム別で説明します。

#### **Yamaha Steinberg USB Driver**

V1.6.0 → V1.6.1

- AMD 社製の一部の CPU を搭載したコンピューターで使用したときに、オーディオの入力にノイズが発生することがある問題を修正しました。

### **V1.3.0 → V1.6.0**

以下にプログラム別で説明します。

#### **Yamaha Steinberg USB Driver**

V1.5.2 → V1.6.0

- Yamaha 01V96i に対応しました。
- Cubase のプロジェクト設定でサンプリング周波数を切り替えると、オーディオ入出力が止まることある問題を修正しました。
- その他の軽微な不具合を修正しました。

V1.5.1 → V1.5.2

- 軽微な不具合を修正しました。

V1.5.0 → V1.5.1

- Steinberg UR824 に対応しました。
- ASIO ドライバーのバッファサイズの初期値を、768 サンプルから 512 サンプルに変更しました。
- 軽微な不具合を修正しました。

(NOTE)

Yamaha Steinberg USB Driver V1.5.1 は、Steinberg UR824 に同梱の TOOLS for UR824 CD-ROM(盤面に「YD307A0」または「YD307B0」と記載されているもの)に収録されているバージョンです。

V1.3.0 → V1.5.0

- Steinberg UR28M に対応しました。
- ドライバーのコントロールパネルのユーザーインターフェースを変更しました。接続した機器ごとにタ

ブが表示されます。

- ASIO ドライバーのバッファサイズの設定値に、64 サンプルと 96 サンプルを追加しました。

(NOTE)

Yamaha Steinberg USB Driver V1.5.0 は、Steinberg UR28M に同梱の TOOLS for UR28M CD-ROM(盤面に「YD304A0」または「YD304B0」と記載されているもの)に収録されているバージョンです。

### **V1.1.2 → V1.3.0**

- Yamaha Steinberg USB Driver が Yamaha MOX6/8 に対応しました。
- Yamaha Steinberg USB Driver のコントロールパネルに、ASIO で使用する機器を選択する機能を追加しました。
- TOOLS for CI2 が Windows 7 SP1 で動作することを確認しました。
- 動作環境を変更しました。以下の環境が必要です。
  - ・ Windows XP Professional SP3、Windows XP Home Edition SP3、Windows Vista SP2、または Windows 7 SP なし/SP1詳細は、「ソフトウェアの動作環境」をご参照ください。

### **V1.1.0 → V1.1.2**

- Yamaha Steinberg USB Driver のパフォーマンスを改善しました。
- 以下の問題に対処しました。
  - ・ インテル® 5 シリーズチップセットを搭載したコンピューターで Yamaha Steinberg USB Driver 対応機器を使用したときに、録音したオーディオデータの一部分が一瞬無音になる場合がある

### **V1.0.1 → V1.1.0**

- Steinberg CI2+に対応しました。
- Nuendo 5 に対応しました。

その他の主なアップデート内容については、以下にプログラム別で説明します。

#### **Yamaha Steinberg USB Driver**

V1.0.1 → V1.1.0

- 軽微な不具合を修正しました。

#### **Steinberg CI2 Extension**

V1.0.0 → V1.1.0

- 軽微な不具合を修正しました。

(NOTE)

TOOLS for CI2 V1.1.0 は、製品に同梱の TOOLS for CI2 CD-ROM(盤面に「YC410A0」と記載されているもの)に収録されているバージョンです。

### **V1.0.0 → V1.0.1**

- TOOLS for CI2 が Windows 7 で動作することを確認しました。  
Windows 7 でのソフトウェアの動作環境、およびインストール手順は、同梱のインストールガイドをご参照ください。

その他の主なアップデート内容については、以下にプログラム別で説明します。

### **Yamaha Steinberg USB Driver**

V1.0.0 → V1.0.1

- 特定の環境でノイズが発生する可能性がある問題を修正しました。

---

本文に掲載されている会社名および商品名等は、各社の登録商標または商標です。

(C) 2009-2016 Yamaha Corporation All Rights Reserved.