

TOOLS for UR-C V1.5.0 for Windows Release Notes

TOOLS for UR-C V1.5.0 for Windows consists of the following programs.

- Yamaha Steinberg USB Driver V2.0.3
- Steinberg UR-C Applications V1.5.0
- Basic FX Suite V1.5.0

Steinberg UR-C Applications V1.5.0 consists of the following programs.

- Steinberg UR-C Extension V1.5.0
- Steinberg dspMixFx UR-C V1.5.0

System Requirements for Software

OS	Windows10 64-bit
CPU	Intel Core i-series multicore processor 2GH or faster, or AMD equivalent processor
Memory	2 GB or more
Hard Disk	Free disk space of 1.2 GB or more; high-speed hard disk
Display	1280 x 800; full color
Interface	Equipped with a USB 3.0 connector
Other	<ul style="list-style-type: none">● Internet connection required for download, installation, activation, account setup and personal / product registration.● Cubase version 9.5.40 or later when using the link function between the device and Cubase.

Main Revisions and Enhancements

V1.1.0 to V1.5.0

- Changed the system requirements (supports Windows 10 64-bit only).
- Please use the firmware version 1.50 or later.

The main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V2.0.2 to V2.0.3

- Fixed a problem in which a blue screen error would occur when using the TF series.
- Solved some minor problems.

Steinberg UR-C Application

V1.1.0 to V1.5.0

- Updated the GUI design of the DSP effects. Refer to the “Basic FX Suite” section below for the changes.

Steinberg dspMixFx UR-C

V1.1.0 to V1.5.0

- Added a new Voice Chat mode to the Loopback function of the UR-C hardware to optimize use with chat applications.

Basic FX Suite

V1.1.2 to V1.5.0

Common to all plugins

- Refined the GUI designs, and were compatible with HiDPI, ensuring improved visibility on high-resolution monitors.
- Basic FX Suite is now compatible with AAX Native. You can use the plug-ins with Pro Tools.
- More than 75 presets are now available in Basic FX Suite.
- Implemented INPUT/OUTPUT meters for each plug-in.

Sweet Spot Morphing Channel Strip

- (Native version only) Featured a spectrum view of the EQ graph.
- Now includes convenient independent On/Off switches for each EQ band.
- Now includes a convenient On/Off switch for the side chain filter.
- Implemented a side chain meter.
- Integrated the separate plug-ins for the Stereo and Mono channels.

Legacy Updates

V1.0.1 to V1.1.0

- Now Supports UR24C.

Yamaha Steinberg USB Driver

V2.0.1 to V2.0.2

- Fixed a problem in which USB Mode cannot be switched while dspMixFx Remote Bridge is running.

- Fixed a problem in which Sound Forge (by Magix) would not work properly.
- Solved some minor problems.

Steinberg UR-C Application

V1.0.1 to V1.1.0

- Solved a problem in which display of effect parameters did not match between Cubase and dspMixFx UR-C.

Steinberg UR-C Extension

V1.0.1 to V1.1.0

- Solved a problem in which computer would run slow when Cubase and HALion were used at the same time.

Basic FX Suite

V1.1.1 to V1.1.2

- Solved a problem in which preset files used by other models were deleted when uninstalling.

Company and product names that appear in this document are the trademarks or registered trademarks of their respective companies.

Manual Development Group
© 2019 Yamaha Corporation
Published 09/2020 YJHI-A0

TOOLS for UR-C V1.5.0 for Windows リリースノート

TOOLS for UR-C V1.5.0 for Windows は、以下のプログラムで構成されています。

- Yamaha Steinberg USB Driver V2.0.3
- Steinberg UR-C Applications V1.5.0
- Basic FX Suite V1.5.0

Steinberg UR-C Applications V1.5.0 は、以下のプログラムで構成されています。

- Steinberg UR-C Extension V1.5.0
- Steinberg dspMixFx UR-C V1.5.0

ソフトウェアの動作環境

OS	Windows10 64-bit
CPU	Intel Core i シリーズマルチコアプロセッサ-2GHz 以上、または AMD 同等プロセッサ
メモリー	2 GB 以上
ハードディスク	1.2 GB 以上の空き容量、高速なハードディスク
画面解像度	1280 x 800 フルカラー
インターフェース	USB 3.0 端子を搭載していること。
その他	<ul style="list-style-type: none">- インターネット接続環境(ダウンロード、インストール、アクティベーション、アカウント設定、ユーザー情報/製品情報登録用)- Cubase との連携機能をお使いの場合、バージョン 9.5.40 以降の Cubase

主なアップデートの内容

V1.1.0 → V1.5.0

- 動作環境を変更しました。(Windows 10 64-bit のみ対応)
- ファームウェアバージョン V1.50 以上をお使いください。

その他の主なアップデート内容については、以下にプログラム別で説明します。

Yamaha Steinberg USB Driver

V2.0.2 → V2.0.3

- Yamaha TF シリーズを使用しているときに、ブルースクリーンエラーが発生する問題を修正しました。
- その他軽微な不具合を修正しました。

Steinberg UR-C Applications

V1.1.0 → V1.5.0

- DSP エフェクトの GUI デザインを更新しました。変更点は「Basic FX Suite」の項をご参照ください。

Steinberg dspMixFx UR-C

V1.1.0 → V1.5.0

- 本体のループバック機能に、ボイスチャットアプリケーションの使用時に最適化したボイスチャットモードを追加しました。

Basic FX Suite

V1.1.2 → V1.5.0

全プラグイン共通

- GUI のデザインを一新し、HiDPI 対応しました。高解像度モニターでの視認性を向上しました。
- Basic FX Suite が AAX プラグインフォーマットに対応し、Pro Tools で使用できるようになりました。
- 75 個以上のプリセットを追加しました。
- 各プラグインに INPUT/OUTPUT メーターを追加しました。

Sweet Spot Morphing Channel Strip

- (Native 版のみ) EQ グラフにスペクトラム表示できるようになりました。
- EQ の各バンドを個別に ON/OFF できるようになりました。
- サイドチェーンフィルターの ON/OFF ができるようになりました。
- サイドチェーンメーターを追加しました。
- Stereo チャンネル用と Mono チャンネル用で分かれていたプラグインを統合しました。

過去のアップデート内容

V1.0.1 → V1.1.0

- UR24C に対応しました。

Yamaha Steinberg USB Driver

V2.0.1 → V2.0.2

- dspMixFx Remote Bridge 動作中に USB Mode を切り替えられない問題を修正しました。
- Magix 社 Sound Forge で正常に動作しない問題を修正しました。
- その他の軽微な不具合を修正しました。

Steinberg UR-C Applications

V1.0.1 → V1.1.0

- Cubase と dspMixFx UR-C で、エフェクトのパラメータの表示が一致しない場合がある問題を修正しました。

Steinberg UR-C Extension

V1.0.1 → V1.1.0

- Cubase と HALion を同時に使用すると、PC の動作が遅くなる問題を修正しました。

Basic FX Suite

V1.1.1 → V1.1.2

- アンインストール時、他モデルで使用中のプリセットファイルが削除されてしまう問題を修正しました。

本文に掲載されている会社名および商品名等は、各社の登録商標または商標です。

Manual Development Group
© 2019 Yamaha Corporation
2020 年 9 月 発行 YJHI-A0