

TOOLS for UR28M V1.1.1 for Mac Release Notes

TOOLS for UR28M V1.1.1 for Mac consists of the following programs.

- Yamaha Steinberg USB Driver V1.6.0
- Steinberg UR28M Applications V1.1.1

Steinberg UR28M Applications V1.1.1 consists of the following programs.

- Steinberg UR28M Extension V1.1.1
- Steinberg dspMixFx UR28M V1.1.1
- VST Plug-Ins V1.0.1

Contents

[System Requirements for Software](#)

[Main Revisions and Enhancements](#)

[Legacy Updates](#)

System Requirements for Software

NOTE

- Note that the system requirements may be slightly different from those described below depending on the particular operating system.

OS	Mac OS X 10.5.8/Mac OS X 10.6.x/Mac OS X 10.7.x
CPU	Intel processor (Intel Core Duo CPU recommended)
Memory	1GB or more
Display Resolution	1280 x 800—full color
Interface	Equipped with a USB 2.0 connector
Hard Disk	Free disk space of 800MB or more; high-speed hard disk
Other	Cubase version 5.5 or later when using the link function between the device and Cubase.

Main Revisions and Enhancements

V1.1.0 to V1.1.1

The main fixes and enhancements for each program are explained below.

Steinberg UR28M Extension

V1.1.0 to V1.1.1

- Now supports Cubase 6.5.

Steinberg dspMixFx UR28M

V1.1.0 to V1.1.1

- Solved the problem in which the update program would not work properly without quitting the dspMixFx UR28M when updating the software version with "Check for Update" function on Mac OS X 10.7.

Legacy Updates

V1.0.2 to V1.1.0

- Added a new function with which the input signal level of LINE INPUT 3/4 could be selected between "+4dBu" and "-10dBV." The default initial setting is "+4dBu." To select the input signal level, use the "Setup Window" in the section "dspMixFx UR28M" or the "Settings Window" in the "Dedicated Windows for Cubase Series."
※UR28M Firmware V1.10 or later is required before using.

V1.0.1 to V1.0.2

The main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.5.2 to V1.6.0

- Now supports Yamaha 01V96i.

To remove the Yamaha Steinberg USB Driver, delete the following files from the boot disk as well as the files described in the "Uninstalling the Software" section of the Getting Started document.

/Library/Audio/MIDI Devices/Yamaha/Images/

USB_1506.tiff

USB_1507.tiff

USB_5500.tiff

V1.0.0 to V1.0.1

- Now supports Mac OS X 10.7.

The other main fixes and enhancements for each program are explained below.

Yamaha Steinberg USB Driver

V1.5.1 to V1.5.2

- Improved audio input and output performance.
- Solved the problem in which the Enable Power Management setting might not be displayed properly when opening the control panel of the driver on Mac OS X 10.6.8 or later (Mac OS X 10.6.7 or later on Mac with Thunderbolt port).

V1.5.0 to V1.5.1

- Now supports Steinberg UR824.
- Solved some minor problems.

NOTE

Yamaha Steinberg USB Driver V1.5.1 is the version which is included in the TOOLS for UR824 CD-ROM (labeled "YD307A0") in the Steinberg UR824 package.

Steinberg UR28M Extension

V1.0.0 to V1.0.1

- Solved the problem in which the upper part of the Mixer window would not be displayed when opening the Cubase project template file "Steinberg UR28M multi channel recording."
- Solved the problem in which the settings on some Cubase project template files would not be correct.
- Solved the problem in which the preset data of Sweet Spot Data might not be displayed properly on the Channel Strip of the DSP effect.
- Solved the problem in which the preset data of Sweet Spot Data might not be saved properly on the Channel Strip of the DSP effect, despite executing the save operation.
- Solved the problem in which the settings on dspMixFx UR28M might be initialized when opening more than one Cubase project file sequentially.
- Solved the problem in which the parameter of "OUTPUT LEVEL" displayed on dspMixFx UR28M might change to " $-\infty$ " when opening a Cubase project file.
- Solved the problems which would occur when both the UR28M Extension and the MR Extension were being installed. If you use the Steinberg MR816 CSX/MR816 X, download and install the TOOLS for MR V1.7.2 or later from the Steinberg web site.
- Solved some other minor problems.

Steinberg dspMixFx UR28M

V1.0.0 to V1.0.1

- Solved the problem in which the [OK] and [CANCEL] controls might not work when editing “STORE NAME” in the window for saving the scene.
- Solved the problem in which the list would not be opened after clicking the desktop of a computer while opening the list by clicking the “Channel Strip Insertion Location” or “REV-X Type” on the dspMixFx UR28M.
- Solved the problem in which the dspMixFx UR28M might not work because the lead-off data would not be sent/received properly after second launching of the dspMixFx UR28M on Mac OS X 10.6.8 or later (Mac OS X 10.6.7 or later on Mac with Thunderbolt port).
- Solved some other minor problems.

VST Plug-Ins

V1.0.0 to V1.0.1

- Solved some minor problems.

Company and product names that appear in this document are the trademarks or registered trademarks of their respective companies.

(C) 2011-2012 Yamaha Corporation All Rights Reserved.